

SAFETY DATA SHEET

Product Name: **METALGUARD A90**SDS No.: 850
Issue Date: 02/28/2018
Version No.: 4

SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Product Name: METALGUARD A90
OAT Heavy-Duty Extended Life Inhibitor Package with Nitrite & Molybdate

Company Name: WEBA Technology Corp.
230 Gil Way
Rock Hill, SC 29730 USA

For More Information Call: Tel: 681-265-2314
Fax: 608-237-2054
msds@webacorp.com
SDS on-line: www.webacorp.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887
(24 Hours/Day, 7 Days/Week)

SECTION 2: HAZARDOUS IDENTIFICATION

OSHA Hazards: Irritant**Target Organs:** None**Signal Words:** Warning**Pictograms:****GHS Classification:**

Skin irritation	Category 2
Eye irritation	Category 2A

GHS Label Elements, including precautionary statements:**Hazard Statements:**

H315+H320	Causes skin and eye irritation.
-----------	---------------------------------

Precautionary Statements:

P264	Wash hands thoroughly after handling.
------	---------------------------------------

P280	Wear protective gloves/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Potential Health Effects

Eyes	May cause eye irritation.
Inhalation	May cause respiratory tract irritation.
Skin	May cause skin irritation.
Ingestion	May be harmful if swallowed.

NFPA Ratings

Health	2
Flammability	0
Reactivity	0
Specific hazard	N/A

HMIS Ratings

Health	2
Fire	0
Reactivity	0
Personal	N/A

0 =minimal 1= slight 2=moderate 3= serious 4= severe

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	GHS Classification
Potassium Ethanoate	30-40	127-08-2	204-822-2	Not Applicable
Potassium Sebacate	<10	52457-55-3	257-932-8	Not Applicable
Sodium Nitrite	<2	7632-00-0	231-555-9	Ox. Solid-3, Acute Tox. Oral-3, Eye Irr.-2A, Acute Aq.-1, Chronic Aq.-1
Sodium Tolyltriazole	<5	64665-57-2	265-004-9	Skin Cor.-1B, Eye Irr.-1, Acute Tox. Oral-4, Acute Tox. Inhal.-5, Acute Aq.-3
Sodium Molybdate	<3	10102-40-6	231-551-7	Acute Tox. Inhal.-4
Deionized Water	Balance	7732-18-5	231-791-2	Not Applicable

**The specific chemical identifies and exact percentage of composition has been withheld as both constitute trade secrets of WEBA Technology. Chemicals listed are only those ingredients which are not trade secrets, are classified as health hazards and are present above their concentration limits.*

SECTION 4: FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Skin	Flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention.

Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention.
-----------	--

SECTION 5: FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Product is not flammable. Use water, fog, foam, carbon dioxide or dry chemical on fires involving this product. Use appropriate media for adjacent fire. Cool unopened containers with water.
Special protective equipment and precautions for firefighters	Do not release runoff from fire control methods to sewers or waterways. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode. Full protective equipment including self-contained breathing apparatus should be used during a fire. During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Seek medical attention.
Specific hazards arising from the chemical	Closed containers may rupture or explode due to steam pressure build-up when exposed to extreme heat. Water may be used to cool closed containers. May emit toxic fumes under fire conditions. (See also Stability and Reactivity section).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated area. Store only in containers that are resistant to alkaline solutions. Keep away from incompatible materials (see section 10 for incompatibilities).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Sodium Molybdate, Dihydrate	0.5 mg/m ³	TLV	ACGIH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles, and face shield if splashing is likely to occur.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, and full body covering. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Other Recommendations

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Avoid contact with skin, eyes and clothing. Do not take internally. Clean up spills immediately. Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, pale yellow liquid with no suspended matter.
Odor	Not Available
Odor threshold	Not Available
pH	9.2-10.0
Melting point/freezing point	Not Available
Initial boiling point and boiling range	>100 °C (>212 °F)
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	10 mmHg at 20 °C (68 °F)
Vapor density	>2.0 (air = 1)
Specific gravity	1.065-1.075
Solubility (ies)	Completely soluble in water.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available

Decomposition temperature	Not Available
Percent volatile by Volume	NIL

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability	Stable.
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Storage below 15.5 °C (60 °F) or above 65.5 °C (150 °F)
Incompatible Materials	Strong acids, oxidizers.
Hazardous Decomposition Products	May emit toxic fumes upon decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral - rat - >5,000 mg/kg (calculated)

Carcinogenicity

IARC	2A - Group 2A: Probably carcinogenic to humans (nitrites).
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Causes moderate skin irritation.
Eyes	Causes severe eye irritation and possible eye burns.
Respiratory	Causes respiratory tract irritation, shortness of breath and an asthma-like condition.
Ingestion	Nausea, headache, weakness, gastrointestinal tract irritation.

Chronic Toxicity	Sodium nitrite can cause cyanosis, headache, dizziness, nausea and methemoglobinemia.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Product or Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product or residue.
Product Containers	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

SECTION 14: TRANSPORTATION INFORMATION

US DOT	Not Dangerous Goods
TDG	Not Dangerous Goods
IMDG	Not Dangerous Goods
Marine Pollutant	No
IATA/ICAO	Not Dangerous Goods

SECTION 15: REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acute Health Hazard
SARA 312	Acute Health Hazard
SARA 313	Not Listed
WHMIS Canada	Not Listed

SECTION 16: OTHER INFORMATION

THIS Safety Data Sheet COVERS ALL OF THE FOLLOWING PRODUCTS:
METALGUARD A90 466300

Revision	Date
Revision 1, Version 1	04/08/2015
Revision 2, Version 2	03/07/2016
Revision 2, Version 3	07/13/2017
Revision 2, Version 4	02/28/2018

Disclaimer: THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH AND FROM SOURCES WE BELIEVE RELIABLE. BUT NO WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS IS MADE. The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product. WEBA Technology Corp. recommends that the recipient of this product read this SDS carefully and follow all procedures for handling and safety. It is the buyer/user's responsibility to ensure that the activities in handling, using and distributing this product comply with all country, federal, state and local laws. Since the conditions for use of the product are not under control of the manufacturer, it is the buyer/user's responsibility to determine the conditions necessary for the safe and proper use of this product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not apply. CONSULT WEBA TECHNOLOGY FOR FURTHER INFORMATION.